

Collaborative Spaces

POWER



TABLE OF CONTENTS



	PAGE
CONTACT INFORMATION AND FREIGHT COST POLICY	3
WARRANTY SHIPPING AND RETURN POLICY	10-12
POWER	
NCS Clamp on power units	4
NSP-8-8-2u Surge protector	4
VLT Power unit	5
VLT PLUS Power unit	6
VLT PLUS USPH Power unit with under surface power hub	7
OMEGA PLUS Power unit	8
OMEGA PLUS USPH Power unit with under surface power hub	9



Thank you for considering Collaborative Spaces LLC as a partner in your future product needs. Below is key information you will need so that we can begin this partnership.

CONTACT INFORMATION

Collaborative Spaces
www.mycollaborativespaces.com
(877) 405-4305 main (877) 266-4346 fax

Jason Thomas, President 214-532-8550, jason.thomas@mycollaborativespaces.com

- General inquiries: info@mycollaborativespaces.com
- Quotes: sales@mycollaborativespaces.com
- New Order: orders@mycollaborativespaces.com
- Accounts payable: accounting@mycollaborativespaces.com
- Quality Control / Warranty / Shipping Claims: qc@mycollaborativespaces.com

FREIGHT POLICY

ALL POWER ITEMS SHIP FREE

**SMALL ORDERS UNDER \$100 NET WILL HAVE A \$10 SMALL
ORDER FEE APPLIED**

NCS Power Unit



2 USB A CHARGING PORTS

MODEL	Description	List
NCS-3209-W	Desk top clamp on power unit 3 power, 2 USB A, 9' power cord -- WHITE	\$ 175
NCS-3209--B	Desk top clamp on power unit 3 power, 2 USB A, 9' power cord -- BLACK	\$ 175

1 USB A and 1 USB C CHARGING PORT

MODEL	Description	List
NCS-31109-W	Desk top clamp on power unit 3 power, 1 USB A, 1 USB C, 9' power cord -- WHITE	\$ 215
NCS-31109--B	Desk top clamp on power unit 3 power, 1 USB A, 1 USB C, 9' power cord -- BLACK	\$ 215



SPECIFICATIONS

- Adjustable desk top clamp, fits .75" up to 2" thick work surfaces
- 3 power plugs
- NCS 3209 has 2 USB A charging ports, 3.1 AMP
- NCS 31109 has 1 USB A and 1 USB C
 - USB C only: 5V/3A , 9V/3A , 12V/2.5A , 15V/2A , 20V/1.5A
 - USB-A only: 5V/2.4A
- A high speed charging power 510 Joule surge protection
- 9' Power Cord
- Desk top clamp for phone / tablet with cord opening to allow for device charging

NSP Surge Protector

MODEL	Description	List
NSP-8-8-2U	Under Surface Surge Protector	\$ 165



SPECIFICATIONS

- Aluminum housing with metal screw in mounting clips for solid no slip installation
- 8 plugs spaced for ease of use
- 2 USB A ports, 5V/3.1Amp Max
- 8' power cord
- 15A on/off switch with built in circuit breaker
- 450 Joule surge protection with surge led indicator

VLT POWER UNITS



SPECIFICATIONS

- (2) Tamper-Resistant AC outlets
- (1) USB-A charging port: 5V 2.1A (10.5W)
- (1) USB-C charging port: 5V 2.4A (12W)
- Standard finish: Black, Silver and White
- 6' and 10' 14AWG x 3C power cord
- Rating 125V 60Hz 15A
- UL & cUL certified for use in USA & Canada

DESK TOP CLAMP

MODEL	Description	List
VLT-2P1A1C-DC-10-**	Volt Desk top clamp on power unit, 2 power, 1USB A 1 USB C, 10' power cord	\$ 235
VLT-2P1A1C-DC-6-**	Volt Desk top clamp on power unit, 2 power, 1USB A 1 USB C, 6' power cord	\$ 225



DESK TOP CLAMP - 2 PIECE CLAMP FORRETRO FIT INTO TIGHT QUARTERS

MODEL	Description	List
VLT-2P1A1C-2PDC-10-**	Volt Desk top clamp on power unit, 2 power, 1USB A 1 USB C, 10' power cord - 2 PIECE DESK CLAMP	\$ 235
VLT-2P1A1C-2PDC-6-**	Volt Desk top clamp on power unit, 2 power, 1USB A 1 USB C, 6' power cord - 2 PIECE DESK CLAMP	\$ 225



UNDER SURFACE MOUNT

MODEL	Description	List
VLT-2P1A1C-2PDC-10-**	Volt Desk top clamp on power unit, 2 power, 1USB A 1 USB C, 10' power cord - UNDER SURFACE MOUNT	\$ 235
VLT-2P1A1C-2PDC-6-**	Volt Desk top clamp on power unit, 2 power, 1USB A 1 USB C, 6' power cord - UNDER SURFACE MOUNT	\$ 225



** Available in Silver, Black or White Finish



VLT PLUS POWER UNITS



SPECIFICATIONS

- (2) Tamper-Resistant AC outlets
- (1) USB Type-A port: 5V-12V, Up to 18W
- (1) USB Type-C port: 5V-20V, Up to 45W
- Standard finish: Black, Silver, White
- 6' and 10' 14AWG x 3C power cord
- Rating: 125V 60Hz 15A

Quick Charge and Power Delivery (PD) enabled. Supports USB-C Laptop and Tablet charging

DESK TOP CLAMP

MODEL	Description	List
VLT-PLUS-2P1A1C-DC-10-**	Volt Plus Desk top clamp on power unit, 2 power, 1USB A 1 USB C, 10' power cord	\$ 335
VLT-PLUS-2P1A1C-DC-6-**	Volt Plus Desk top clamp on power unit, 2 power, 1USB A 1 USB C, 6' power cord	\$ 325



DESK TOP CLAMP - 2 PIECE CLAMP FORRETRO FIT INTO TIGHT QUARTERS

MODEL	Description	List
VLT-PLUS-2P1A1C-DC-10-**	Volt Plus Desk top clamp on power unit, 2 power, 1USB A 1 USB C, 10' power cord	\$ 335
VLT-PLUS-2P1A1C-DC-6-**	Volt Plus Desk top clamp on power unit, 2 power, 1USB A 1 USB C, 6' power cord	\$ 325




UNDER SURFACE MOUNT

MODEL	Description	List
VLT-PLUS-2P1A1C-2PDC-10-**	Volt Plus Desk top clamp on power unit, 2 power, 1USB A 1 USB C, 10' power cord - UNDER SURFACE MOUNT	\$ 335
VLT-PLUS-2P1A1C-2PDC-6-**	Volt Plus Desk top clamp on power unit, 2 power, 1USB A 1 USB C, 6' power cord - UNDER SURFACE MOUNT	\$ 325




** Available in Silver, Black or White Finish



VLT PLUS -USPH POWER UNITS

Power unit with Under Surface Power Hub



Quick Charge and Power Delivery (PD) enabled. Supports USB-C Laptop and Tablet charging

SPECIFICATIONS

- (2) Tamper-Resistant AC outlets
- (1) USB Type-A port: 5V-12V, Up to 18W
- (1) USB Type-C port: 5V-20V, Up to 45W
- Standard finish: Black, Silver, White
- 6' and 10' 14AWG x 3C power cord
- Rating: 125V 60Hz 15A

Under surface hub specs:

- (4) Tamper-Resistant (TR) AC outlets
- Overload protection with reset switch
- Rating 125V 60Hz 15A
- UL & cUL certified for use in USA & Cana

DESK TOP CLAMP with UNDER SURFACE POWER HUB

MODEL	Description	List
VLT-PLUS-USPH-2P1A1C-DC-10-**	Volt Desk top clamp on power unit, 2 power, 1USB A 1 USB C, 10' power cord Includes under surface 4 power box with overlad protection	\$ 445
VLT-PLUS-USPH-2P1A1C-DC-6-**	Volt Desk top clamp on power unit, 2 power, 1USB A 1 USB C, 6' power cord Includes under surface 4 power box with overlad protection	\$ 435

** Available in Silver, Black or White Finish



OMEGA PLUS



SPECIFICATIONS

- (1) Tamper-Resistant AC outlets
- (1) USB Type-A port: 5V-12V, Up to 18W
- (1) USB Type-C port: 5V-20V, Up to 45W
- Standard finish: Black, Silver, White
- 6' and 10' 14AWG x 3C power cord
- Rating: 125V 60Hz 15A

Quick Charge and Power Delivery (PD) enabled. Supports USB-C Laptop and Tablet charging

DESK TOP FREE STANDING

MODEL	Description	List
OMEGA-PLUS-2P1A1C-FS-6-**	Omega Desk top free standing power unit, 1 power, 1USB A 1 USB C, 6' power cord, phone holder cover	\$ 435



AVAILABLE COLORS

- ** BB-BB Black Body with Black Cover
- ** BB-WW Black Body with White Cover
- ** BB-BS Black Body with Silver Cover



- **WW-BB White Body with Black Cover
- **WW-WW White body with White Cover
- **WW-WS White body with Silver Color



FUN COLOR COMBINATIONS

- ** WB-W1 White Body with Black housing and White Carbon Fiber Cover
- **WB-BB
- **WW-TT White body with Teal Plugs/Teal Cover
- **WW-OO White Body with Orange Plugs/Orange Cover
- **WW-PP White Body with Pink Plugs/Pink Cover
- **BB-B2 Black Body with Black Carbon Fiber Cover
- **WB-B2 White Body with Black Housing and Black Carbon Fiber Cover



OMEGA PLUS - USPH POWER UNITS

Power unit with Under Surface Power Hub



Quick Charge and Power Delivery (PD) enabled. Supports USB-C Laptop and Tablet charging

SPECIFICATIONS

- (1) Tamper-Resistant AC outlets
- (1) USB Type-A port: 5V-12V, Up to 18W
- (1) USB Type-C port: 5V-20V, Up to 45W
- Standard finish: Black, Silver, White
- 6' and 10' 14AWG x 3C power cord
- Rating: 125V 60Hz 15A

- Under surface hub specs:
- (4) Tamper-Resistant (TR) AC outlets
 - Overload protection with reset switch
 - Rating 125V 60Hz 15A
 - UL & cUL certified for use in USA & Cana

DESK TOP FREE STANDING

MODEL	Description	List
OMEGA-PLUS-USPH-2P1A1C-FS-6-**	Omega Desk top free standing power unit, 1 power, 1USB A 1 USB C, 6' power cord, phone holder cover Includes under surface 4 power box with overlad protection	\$ 435



AVAILABLE COLORS

- ** BB-BB Black Body with Black Cover
- ** BB-WW Black Body with White Cover
- ** BB-BS Black Body with Silver Cover



- **WW-BB White Body with Black Cover
- **WW-WW White body with White Cover
- **WW-WS White body with Silver Color





WARRANTY

WARRANTY

Collaborative Spaces warrants for a limited lifetime of 10 years, that the goods sold will be free from defects in its materials used and workmanship to the original purchaser. This warranty is effective from the date of your order being processed. Warranty time frames for material and manufacturing defects are warranted for a limited lifetime time frame with certain exceptions. Please refer to the applicable product page at www.mycollaborativespaces.com for its specific warranty information.

EXCEPTIONS:

Electric components (NCS clamp on power units listed separately), in the desk power units, power components for benching systems or power strips, table glides and casters, mouse pads, and wrist rests all have a warranty for 1 year.

NCS clamp on power modules, all models, 3 year warranty

Textiles for fabric dividers have a 5-year warranty

Non-electric adjustable height mechanisms, folding, nesting or flipping mechanisms, table ganging devices, modesty panel hardware, or any moving parts have a 5-year warranty.

ELE HEIGHT ADJUSTBLE TABLE:

Electronics (motors, control boxes, hand controls have a warranty for 3 years, structural components for 10 years (frames, paint and glides

CREST AND PEAK HEIGHT ADJUSTABLE TABLES:

Electronics (motors, control boxes, hand controls have a warranty for 3 years, structural components for 10 years (frames, paint and glides

Warranty Claims for Defective Product

Please contact qc@mycollaborativespaces.com or call 888-405-4305 to initiate a warranty claim. Collaborative Spaces may request pictures or videos demonstrating the issue before initiating further actions. Collaborative Spaces reserves the right to request additional troubleshooting efforts to identify / resolve the issue before sending replacement parts, as well as to request the return of any or all impacted products for evaluation. No labor charges will be paid for trouble shooting warranty claims. Assistance in trouble shooting can be done over the phone with the customer at site. Trouble shooting is part of the ownership responsibility of the end user to understand how to properly use and correct any simple reset issues with their table. No merchandise shall be returned without prior approval from Collaborative Spaces. When available, Collaborative Spaces may utilize their own repair team to resolve any issues in the field.



SHIPPING and RETURNS POLICY

SHIPPING

Collaborative Spaces ships product standard ground and LTL thru designated quality carriers. Priority or express shipping may be done at additional costs over our standard freight policy. Special circumstances such as call before delivery, scheduled appointments and non-standard off-loading scenarios, such as lift gate trucks needed can be quoted and will be outside of our standard delivery policy. We do not provide inside delivery.

Shipping Claims for Damaged or Concealed Damaged Product

Please contact qc@mycollaborativespaces.com or call 888-405-4305 to initiate a shipping / concealed damage claim. If any portion of your product is received in damaged condition, either apparent or concealed, it is the responsibility of the customer to note any perceived damage on the carrier's delivery receipt, accept delivery of the product, take pictures of packaging, as well as pictures of damage on each item impacted. Contact Collaborative Spaces immediately to initiate the claim process. Product signed for and identified as damaged is not to be installed but left in the packaging until the claim process is completed.

Concealed damage must be reported to Collaborative Spaces within 5 business days from date of delivery. Pictures of packaging as well as pictures of each item impacted must be provided. Failure to report concealed damage or provide required pictures within 5 business days from date of delivery will result in customer assuming liability of damage.

Shipment Delays

Collaborative Spaces is not responsible for any shipment delays due to unforeseen circumstances, such as traffic, equipment problems, inclement weather, refused shipment at delivery location, or local limitations due to large trailer etc.

Missing / Lost Packages

To report a missing / lost package, please contact qc@mycollaborativespaces.com or call 888-405-4305. Please note, a package must be undelivered 24 hours after the expected delivery date and time to be considered lost / missing. If proof of delivery indicates that the shipment was delivered and signed for in full, customer assumes liability for replacing product.



WARRANTY LABOR REIMBURSEMENT AND RETURNS POLICY

Labor Reimbursement

Labor will not be reimbursed for shipping / concealed damage claims or for items deemed missing where shipments were signed for as received in full.

CLAIMS FOR NON DELIVERED ITEMS MUST BE MADE WITHIN 5 DAYS OF THE SHIP DATE. IF THERE IS A SIGNED BOL OR A SCANNED DELIVERY THRU FED EX, PRODUCT NOT REPORTED WITHIN 5 DAYS WILL BE DEAMED TO HAVE BEEN DELIVERED IN FULL AND REPLACEMENTS WILL BE SUPPLIED WITH A NEW PO. FAILURE TO REPORT PRODCUT MISSING DOES NOT PLACE RESPONSIBILITY BACK ON COLLABORATIVE SPACES. IF A PROCUT WAS NOT SIGNED FOR OR SCANNED DELIVERED, A CLAIM WITH THE CARRIER WILL BE STARTED.

Any labor reimbursement requests **must be made prior** to incurring any charges / expenses. Repairs to product made without Collaborative Spaces consent will not be covered. Defective parts deemed under warranty will be replaced at no charge. If upon inspection of returned items, it is determined that the product failed due to misuse or improper trouble shooting identifying the incorrect part, parts may be billed or requested to be returned. Shipping cost will also be charged to send out new parts.

PRODUCT RETURNS

Please contact Collaborative Spaces to determine if product wanting to be returned is available for return or exchange. Please note that no custom products may be returned. Product must be returned in original packaging. A restocking fee, as well as shipping charges (delivery of product and return of product) will be deducted from any return product credits. Credits will not be honored until all goods to be returned have been received and inspected by the Quality Control dept. This may take up to 30 days from receipt of returned product.

PRODUCT CHANGES and CANCELLATIONS

Collaborative Spaces must be contacted in writing at orders@mycollaborativespaces.com to change or cancel an order. Please specify in the subject line ORDER CHANGE or CANCEL ORDER. Order changes / cancellations must be made within 2 business days of order processing. Some order changes / cancellations outside of the 2 business days may be subject to a fee, including covering shipping charges to/from if cancelled after a product has been shipped. Collaborative Spaces will do their best to accommodate requests, however built to order products in process of being manufactured or already manufactured may not be changed or cancelled. For standard inventory items, orders for a large quantity of product that requires the acquisition / manufacturing of product to fulfill the order will be subject to a fee if cancelled after production has begun up to 50% of the order total.